WEST Search History for Application 10602952

Creation Date: 2008111811:33

Query	DB	Op.	Plur.	Thes.	Date
(eh or exception adj handler) with (dll or dynamic near librar$3 or exe or executable or image)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and ((eh or exception adj handler) with (dll or dynamic near librar$3 or exe or executable or image))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler) with (dll or dynamic near librar$3 or exe or executable or image)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and ((exception adj handler) with (dll or dynamic near librar$3 or exe or executable or image))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
safe wtih exception	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
safe with exception	PGPB, USPT, USOC, EPAB, JPAB,	OR			11-18-2008

	DWPI, TDBD				
(exception adj handler) and (safe with exception)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'6301699'.pn.	USPT	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'5987611'.pn.	USPT	OR			11-18-2008
'5974549'.pn.	USPT	OR			11-18-2008
'5974549'.pn.	USPT	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'5925126'.pn.	USPT	OR			11-18-2008
'5925126'.pn.	USPT	OR			11-18-2008
'6412071'.pn.	USPT	OR			11-18-2008
'6301699'.pn.	USPT	OR			11-18-2008
'6301699'.pn.	USPT	OR			11-18-2008
'5949973'.pn.	USPT	OR			11-18-2008
'5949973'.pn.	USPT	OR			11-18-2008
'6301699'.pn.	USPT	OR			11-18-2008
'5822517'.pn.	USPT	OR			11-18-2008
'5822517'.pn.	USPT	OR			11-18-2008
'5613002'.pn.	USPT	OR			11-18-2008
'5493649'.pn.	USPT	OR			11-18-2008
(stack or frame) with (attack$3 or malicious$2 or rogue or tamper$3 or modif$6 or alter$3 or hijack$3)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
(stack or frame or overflow) with (attack$3 or malicious$2 or rogue or tamper$3 or modif$6 or alter$3 or hijack$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exceptio adj handler and ((stack or frame or overflow) with (attack$3 or malicious$2 or rogue or tamper$3 or modif$6 or alter$3 or hijack$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler and ((stack or frame or overflow) with (attack$3 or malicious$2 or rogue or tamper$3 or modif$6 or alter$3 or hijack$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and (exception adj handler and (stack or frame or overflow) with (attack$3 or malicious$2 or rogue or tamper$3 or modif$6 or alter$3 or hijack$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
5778233.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compiler with (creat$3 or build$3 or generat$3) near (eh or exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
		OR			11-18-2008

compiler and (creat$3 or build$3 or generat$3) near (eh or exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(read$1only or rom) with (eh or exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$7 and ((read$1only or rom) with (eh or exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception near handlers or eh) with (image or DLL or EXE)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 and ((exception near handlers or eh) with (image or DLL or EXE))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
object near files with (eh or exception adj handers)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
object near files with (eh or exception adj handlers)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
object near files same (creat$3 or build$3 or generat$3) near (eh or exception adj handlers)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(creat$3 or build$3 or generat$3) near (eh or exception adj handlers)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(creat$3 or build$3 or generat$3) with (eh or exception adj handlers)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(attack$3 or tamper$3 or rogue or hack$3 or malicious$3) and ((creat$3 or build$3 or generat$3) with (eh or exception adj handlers))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
references with (exception adj handlers)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
'6848111'.pn.	USPT	OR			11-18-2008
'6848111'.pn.	USPT	OR			11-18-2008
'6293712'.pn.	USPT	OR			11-18-2008
'6247169'.pn.	USPT	OR			11-18-2008
'6131187'.pn.	USPT	OR			11-18-2008

object near files (safe or bit)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
object near files with (safe or bit)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
object near files with (mark$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
mark$3 with safe	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handler and (mark$3 with safe)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
safe with exception	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handler and (safe with exception)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
exception near handler and buffer near overflow near attack	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handler and buffer near overflow	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(compiler or (creat$3 or build$3 or generat$3) near (eh or exception adj handler)) and (exception near handler and buffer near overflow)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compar$4 with ((table or register or schema or list) near exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compar$4 with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(Hajack$3 or errant or malicious or attack$3) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
		OR			11-18-2008

(Hajack$3 or errant or malicious or attack$3) same exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
RD-312094-A.did.	EPAB	OR			11-18-2008
(RD-312094-A)![pn]	USPT, PGPB	OR			11-18-2008
(RD-312094-A)![pn]	USPT, PGPB	OR			11-18-2008
exception adj handler with corrupt$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or if) near exception adj handler same (corrupt$3 or hajack$3 or errant or malicious or attack$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or if) same exception adj handler near (corrupt$3 or hajack$3 or errant or malicious or attack$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or if or compar$4 or find$3 or look$1up) near exception adj handler near (pointer or address or reference or reference)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or if or compar$4 or find$3 or look$1up) with exception adj handler near (pointer or address or reference or reference)	PGPB, USPT, USOC, EPAB, JPAB,	OR			11-18-2008

	DWPI, TDBD				
exception adj handler near (pointer or address or reference or reference)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (exception adj handler near (pointer or address or reference or reference))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
'6651171'.pn.	USPT	OR			11-18-2008
'6651171'.pn.	USPT	OR			11-18-2008
'6578094'.pn.	USPT	OR			11-18-2008
'6578094'.pn.	USPT	OR			11-18-2008
'6578094'.pn.	USPT	OR			11-18-2008
'6519702'.pn.	USPT	OR			11-18-2008
(determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler and ((determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (exception adj handler and (determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008

@pd<20030624 and ((Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and exception adj handler and (determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference) same ($3valid or verif$6)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler and ((determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference) same ($3valid or verif$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (exception adj handler and (determin$3 or if or compar$4 or find$3 or look$1up) near (pointer or address or reference or reference) same ($3valid or verif$6))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(generat$3 or creat$3 or instantiat$3) with (exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 and ((generat$3 or creat$3 or instantiat$3) with (exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and (compil$6 and (generat$3 or creat$3 or instantiat$3) with (exception near handl$3))	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
link$3 and (@pd<20030624 and compil$6 and (generat$3 or creat$3 or instantiat$3) with (exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(stack or stack adj frame) and (link$3 and @pd<20030624 and compil$6 and (generat$3 or creat$3 or instantiat$3) with (exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(monitor$3 or trac$3 or erant or malicious$3 or error$6 or violat$3 or attack$3 or hijack$3 or buffer near (over$1run or over$1flow)) with (exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
return near address with hijack$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
return near address same hijack$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 and image and ((monitor$3 or trac$3 or erant or malicious$3 or error$6 or violat$3 or attack$3 or hijack$3 or buffer near (over$1run or over$1flow)) with (exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
		OR			11-18-2008

@pd<20030624 and (compil$6 and image and (monitor$3 or trac$3 or erant or malicious$3 or error$6 or violat$3 or attack$3 or hijack$3 or buffer near (over$1run or over$1flow)) with (exception near handl$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
verif$7 near (pointer or handle) with exception	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
valid near (pointer or handle) with exception	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(pointer or handle) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(attacker or rogue or tamper$3 or hack$3) and ((pointer or handle) with exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler with hack$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception with hack$3	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
rogue with exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(hack$3 or rogue) and exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(list or table or schema) near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
determin$3 with exception near handler near (mis$1us$3 or $3alter$3 or tamper$3 or secruity)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
determin$3 with exception near (mis$1us$3 or $3alter$3 or tamper$3 or secruity)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handler with (mis$1us$3 or $3alter$3 or tamper$3 or secruity)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handler with (table or look$1up or database)		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(determin$3 or find$3 or locat$3 or select$3 or choos$3) near exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/???or726????).ccls. and ((determin$3 or find$3 or locat$3 or select$3 or choos$3) near exception near handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/???or726/???).ccls. and ((determin$3 or find$3 or locat$3 or select$3 or choos$3) near exception near handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(determin$3 or find$3 or locat$3 or select$3 or choos$3) with exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/???or726/???).ccls. and ((determin$3 or find$3 or locat$3 or select$3 or choos$3) with exception near handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception with (mis$1us$3 or $3alter$3 or tamper$3 or secruity)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
((determin$3 or find$3 or locat$3 or select$3 or choos$3) with exception near handler) and (exception with (mis$1us$3 or $3alter$3 or tamper$3 or security))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/???or726/???).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
713/???.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
726/???.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
726/??.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/???.ccls.) or (726/??.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
		OR			11-18-2008

((determin$3 or find$3 or locat$3 or select$3 or choos$3) with exception near handler) and (713/???.ccls. or 726/??.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((malicious or attack) with (terminat$3 near (execut$3 or process)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(malicious or attack or security near violat$3) and (terminat$3 near (execut$3 or process))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) near2 (exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((malicious or attack or security near violat$3) and (terminat$3 near (execut$3 or process))) and ((choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) near2 (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((stack or frame) with (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) with (exception adj handler)	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
(((stack or frame) with (exception adj handler))) and ((choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) with (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and (((stack or frame) with (exception adj handler)) and (choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) with (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(malicious or attack or security near violat$3) and (@pd<20030624 and ((stack or frame) with (exception adj handler)) and (choos$3 or select$3 or find$3 or look$1up or determin$3 or table or schema or list or stack) with (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(look$up or find$3 or choos$3 or select$3) near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and ((look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) near exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
		OR			11-18-2008

(malicious$3 or attack) with (look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(malicious$3 or attack) and (look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
valid with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and (valid with exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
valid near exception and ((look$up or find$3 or choos$3 or select$3 or determin$3 or table or schema or database or list) with exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.	JPAB, DWPI, TDBD				
(719/318).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls.) or ((719/318).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler with valid	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
BRAY-BRANDON-R!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
TUTTLE-BRYAN-W!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
LAFRENIERE-LOUIS!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
LUCIDO-PHILIP-M!		OR			11-18-2008

	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB				
SHUPAK-RICHARD-M!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
SPALDING-DANIEL-R!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			11-18-2008
link$3 and compil$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler with valid) and (link$3 and compil$5)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((search$3 or found or find$3 or locat$3 or determin$3) near exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(713/164 l713/165 l713/166 l713/167).ccls.	PGPB, USPT, USOC, EPAB,	OR			11-18-2008

	JPAB, DWPI, TDBD				
(726/22 I726/23 I726/24).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 I713/165 I713/166 I713/167).ccls.) or ((717/136 I717/137 I717/138 I717/139 I717/140 I717/141 I717/142 I717/143 I717/144 I717/145 I717/146 I717/147 I717/148 I717/149 I717/150 I717/151 I717/152 I717/153 I717/154 I717/155 I717/156 I717/157 I717/158 I717/159 I717/160 I717/161 I717/162 I717/163 I717/164 I717/165 I717/166 I717/167).ccls. or (719/318).ccls.) or ((726/22 I726/23 I726/24).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(creat$3 or generat$3) near (exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 I713/165 I713/166 I713/167).ccls. or (717/136 I717/137 I717/138 I717/139 I717/140 I717/141 I717/142 I717/143 I717/144 I717/145 I717/146 I717/147 I717/148 I717/149 I717/150 I717/151 I717/152 I717/153 I717/154 I717/155 I717/156 I717/157 I717/158 I717/159 I717/160 I717/161 I717/162 I717/163 I717/164 I717/165 I717/166 I717/167).ccls. or (719/318).ccls. or (726/22 I726/23 I726/24).ccls.) and ((creat$3 or generat$3) near (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 near (object or image) with exception	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 near (object near file or image)	PGPB, USPT, USOC, EPAB, JPAB,	OR			11-18-2008

	DWPI, TDBD				
compil$6 near (object near file and image)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 near image	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(compil$6 near image) and (exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(718/104 l718/106).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls.) or ((718/104 l718/106).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(valid near exception adj handler).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler).ab,ti.		OR			11-18-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((exception adj handler) near (store or database or repository or table or schema))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (718/104 l718/106).ccls.) and (((exception adj handler) near (store or database or repository or table or schema)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
($3alter$3 or $3modif$7 or $3chang$3) with exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(($3alter$3 or $3modif$7 or $3chang$3) with exception near handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(valid or verif$6) same exception near handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and ((valid or verif$6) same exception	PGPB,	OR			11-18-2008

near handler)	USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan or in$1valid) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan or in$1valid or $3alter$5 or $3chang$3 or $3modif$7) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
compil$6 and ((erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan or in$1valid or $3alter$5 or $3chang$3 or $3modif$7) with exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
@pd<20030624 and (compil$6 and (erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan or in$1valid or $3alter$5 or $3chang$3 or $3modif$7) with exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
determin$3 with ((in$1valid or $3alter$5 or $3chang$3 or $3modif$7) near (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB,	OR			11-18-2008

	DWPI, TDBD				
determin$3 same ((in$1valid or $3alter$5 or $3chang$3 or $3modif$7) near (exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(if near1 (exception adj handler)) with (in$1valid or $3alter$5 or $3chang$3 or $3modif$7)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler) near (in$1valid or $3alter$5 or $3chang$3 or $3modif$7) with (error or terminat$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
safe with (exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(compar$4 near (exception adj handler)) with ((list or (os or operating near system)) near exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(compar$4 near (exception adj handler)) same ((list or (os or operating near system)) near exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
safe near exception	PGPB, USPT,	OR			11-18-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
compar$4 with ((exception adj handler) or (list near exception adj handler))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(stack and list) near (exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(erant or malicious$3 or violat$3 or attack$3 or hijack$3 or trojan or in$1valid) near exception adj handler same error near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler with error near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
retriev$2 near exception adj handler with compar$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
retriev$2 near exception adj handler same compar$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			11-18-2008

	TDBD				
determin$3 near exception adj handler with (event or exception) same compar$6	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception adj handler with (protect$3 or secur$4)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls.) or (714/25 l714/47 l714/48).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler with (protect$3 or secur$4)) and ((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (714/25 l714/47 l714/48).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler) with (corrupt$3 or (buffer near ((overflow or over$1run) near attack)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(exception adj handler) near (corrupt$3 or (buffer near ((overflow or over$1run) near attack)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008

exception near handling with valid	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(stack or frame) near corrupt$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
exception near handl$3 and ((stack or frame) near corrupt$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
prevent$3 with exception near handl$3	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (714/25 l714/47 l714/48).ccls.) and (prevent$3 with exception near handl$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
buffer near (over$1run or over$1flow) and exception adj handler near1 (pointer or address or reference or reference)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
buffer near (over$1run or over$1flow) and exception adj handler	PGPB, USPT,	OR			11-18-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
(Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (buffer near (over$1run or over$1flow) and exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
((713/164 |713/165 |713/166 |713/167).ccls. or (717/136 |717/137 |717/138 |717/139 |717/140 |717/141 |717/142 |717/143 |717/144 |717/145 |717/146 |717/147 |717/148 |717/149 |717/150 |717/151 |717/152 |717/153 |717/154 |717/155 |717/156 |717/157 |717/158 |717/159 |717/160 |717/161 |717/162 |717/163 |717/164 |717/165 |717/166 |717/167).ccls. or (719/318).ccls. or (726/22 |726/23 |726/24).ccls. or (714/25 |714/47 |714/48).ccls.) and ((Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and buffer near (over$1run or over$1flow) and exception adj handler)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
new near exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(invalidat$3 or rogue or illegal) near1 exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
(invalidat$3 or rogue or illegal) with exception adj handler	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
5628016.pn.	PGPB, USPT,	OR			11-18-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
20040133777	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-18-2008
717/124,126.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (714/25 l714/47 l714/48).ccls.) or (717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
((invalidat$3 or rogue or illegal) with exception adj handler) and ((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (714/25 l714/47 l714/48).ccls. or 717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
(Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and ((713/164 l713/165 l713/166 l713/167).ccls. or (717/136 l717/137 l717/138 l717/139 l717/140 l717/141 l717/142 l717/143 l717/144 l717/145 l717/146 l717/147 l717/148 l717/149 l717/150 l717/151 l717/152 l717/153 l717/154 l717/155 l717/156 l717/157 l717/158 l717/159 l717/160 l717/161 l717/162 l717/163 l717/164 l717/165 l717/166 l717/167).ccls. or (719/318).ccls. or (726/22 l726/23 l726/24).ccls. or (714/25	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008

|714/47 |714/48).ccls. or 717/124, 126.ccls.)						
exception adj handler and ((Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (713/164 |713/165 |713/166 |713/167).ccls. or (717/136 |717/137 |717/138 |717/139 |717/140 |717/141 |717/142 |717/143 |717/144 |717/145 |717/146 |717/147 |717/148 |717/149 |717/150 |717/151 |717/152 |717/153 |717/154 |717/155 |717/156 |717/157 |717/158 |717/159 |717/160 |717/161 |717/162 |717/163 |717/164 |717/165 |717/166 |717/167).ccls. or (719/318).ccls. or (726/22 |726/23 |726/24).ccls. or (714/25 |714/47 |714/48).ccls. or 717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
@pd<20030624 and (exception adj handler and (Hajack$3 or errant or malicious or attack$3 or trojan near horse or virus) and (713/164 |713/165 |713/166 |713/167).ccls. or (717/136 |717/137 |717/138 |717/139 |717/140 |717/141 |717/142 |717/143 |717/144 |717/145 |717/146 |717/147 |717/148 |717/149 |717/150 |717/151 |717/152 |717/153 |717/154 |717/155 |717/156 |717/157 |717/158 |717/159 |717/160 |717/161 |717/162 |717/163 |717/164 |717/165 |717/166 |717/167).ccls. or (719/318).ccls. or (726/22 |726/23 |726/24).ccls. or (714/25 |714/47 |714/48).ccls. or 717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
buffer near (over$1run or over$1flow) and exception adj handler and ((713/164 |713/165 |713/166 |713/167).ccls. or (717/136 |717/137 |717/138 |717/139 |717/140 |717/141 |717/142 |717/143 |717/144 |717/145 |717/146 |717/147 |717/148 |717/149 |717/150 |717/151 |717/152 |717/153 |717/154 |717/155 |717/156 |717/157 |717/158 |717/159 |717/160 |717/161 |717/162 |717/163 |717/164 |717/165 |717/166 |717/167).ccls. or (719/318).ccls. or (726/22 |726/23 |726/24).ccls. or (714/25 |714/47 |714/48).ccls. or 717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008
@pd<20030624 and (buffer near (over$1run or over$1flow) and exception adj handler and (713/164 |713/165 |713/166 |713/167).ccls. or (717/136 |717/137 |717/138 |717/139 |717/140 |717/141 |717/142 |717/143 |717/144 |717/145 |717/146 |717/147 |717/148 |717/149 |717/150 |717/151 |717/152 |717/153 |717/154 |717/155 |717/156 |717/157 |717/158 |717/159 |717/160 |717/161 |717/162 |717/163 |717/164 |717/165 |717/166 |717/167).ccls. or (719/318).ccls. or (726/22 |726/23 |726/24).ccls. or (714/25 |714/47 |714/48).ccls. or 717/124, 126.ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	NO		11-18-2008